Town of Mansfield

STANDING ORDER

Municipal Buildings

NASAL NALOXONE (NARCAN)

Naloxone (NARCAN) nasal Spray is indicated for the emergency treatment of known or suspected opioid overdose, as manifested by respiratory and/or central nervous system depression or unresponsiveness.

Identify Opioid Overdose and Check for Response

• Opioids include but are not limited to: Codeine, Demerol, Fentanyl, Heroin, Morphine, Oxycodone, and others. Signs of overdose include:

..g... or or or allocal moral and

- Cannot be aroused, Limp body
- Slow or no breathing
- Pupils very small (pinpoint pupils)
- Fingernails and /or lips turning blue
- Vomiting or gurgling noises
- Unable to speak/incoherent

Administer NARCAN (naloxone hydrochloride) Nasal Spray 4 mg to a person suspected of an opioid overdose, with respiratory depression or unresponsiveness, as follows:

Give NARCAN Nasal Spray

- 1. CALL 911
- 2. CALL for MERT and/or Administrator for assistance
- 3. Position the individual on their back to receive a dose of NARCAN Nasal Spray
- 4. Remove NARCAN Nasal Spray from box and peel back the tab with the circle to obtain the spray bottle
- **5.** Hold the **NARCAN Nasal Spray** with your thumb on the bottom of the plunger and hold your first and middle fingers on either side of the nozzle
- 6. Tilt the individual's head back and provide support under the neck with your hand
- **7.** Gently insert the tip of the nozzle into one nostril until your fingers are on either side of the nozzle are against the bottom of the person's nose
- 8. Press plunger firmly to give the dose of NARCAN Nasal Spray
- 9. Remove spray from nostril
- **10.** Move the individual on their side (recovery position)
- 11. Await emergency medical personnel and monitor the individual

THIS TOWN SUPPLIED NALOXONE (NARCAN) IS ONLY TO BE ADMINISTERED BY TRAINED STAFF

		MD
Date	Eastern Highlands Health Medical Advisor-	[nhysician name]
Date	Lastern riiginanus rieattii Medicai Advisor-	[priysician name]